Greenwich Flying Squadron

2021 - 2024 AS SPECIAL REGULATIONS EQUIPMENT AUDIT FORM - Valid to June 30th.

(Attach the relevant Australian Sailing Equipment Audit Form as applicable)

Responsibility of the Person in Charge - AS Special Regulation 1.02

- 1.02.1. The safety of a boat and her crew is the sole and inescapable responsibility of the person in charge who shall do their best to ensure that the boat is fully found, thoroughly seaworthy and manned by an experienced crew who have undergone appropriate training and are physically fit to face bad weather. He must be satisfied as to the soundness of hull, spars, rigging, sails and all gear. He shall ensure that all safety equipment is properly maintained and stowed and that the crew know where it is kept and how it is to be used. He shall also nominate a person to take over the responsibilities of the person in charge in the event of his incapacitation.
- 1.02.2. The establishment of these Special Regulations, their use by race organisers, and the inspection of a boat under these regulations does not in any way limit or reduce the complete and unlimited responsibility of the person in charge.
- 1.02.3. The responsibility for a boat's decision to participate in a cruising event or race, or to continue racing is hers alone RRS Fundamental Rule 4.

Your attention is drawn to ISAF Racing Rules of Sailing 2021-2024 Fundamental Rule 1.2 - Life-Saving Equipment and Flotation Devices.

"A boat shall carry adequate life-saving equipment for all persons on board, including one item ready for immediate use, unless her class rules make some other provision. Each competitor is individually responsible for wearing personal buoyancy adequate for the conditions".

Risk Warning.

This **RISK WARNING** is issued jointly by the Greenwich Flying Squadron Inc. (GFS) and the (RMS) Maritime Authority, pursuant to the **Civil Liability Act 2002** to all persons wishing to participate in the sailing activities conducted by Greenwich Flying Squadron.

Participants are warned that, regardless of the precautions, which might be taken by reasonable and experienced persons, sailing can be a dangerous pursuit and participants are exposed to significant risk of property damage, physical harm and possibly death.

As an indication, these risks may include, but are not limited to:

- The extremes of weather and sea conditions.
- · The potential that control of vessels may be lost, resulting in collision with objects and other vessels.
- The sudden movement of the vessel at any time and the possibility that participants may fall or be thrown overboard, resulting in drowning.
- · The possibility that participants may be injured by equipment on the vessel.
- · The absence of immediate medical care and the likelihood that significant delays may occur before medical care is available.
- · Exposure to the elements for extended periods.

Greenwich Flying Squadron and the (RMS) Maritime Authority also warn participants that regardless of their best intentions, they may be unable to render assistance to participants who are in distress. Participants are warned to consider the above risks and all other risks before deciding to participate in any sailing event with Greenwich Flying Squadron.

Participants are also advised that although Greenwich Flying Squadron is covered by third party liability insurance, this cover **DOES NOT** extend to participants. Any participant who considers they have a need for insurance must make their own private arrangements with an insurer. A personal accident insurance policy is available with subscription to membership of Sailing Australia.

Declaration by Owner or Representative.

I have read and understand the Risk Warning printed above.

NOTE: Auditors do not inspect items referred to in Regulations 2.04; Section 3, Part 1; or Section 6. Refer to 2.02.2 – Owners must satisfy Organising Authorities as to those items when required to do so.

I undertake that all of the boat's equipment as specified in the Sailing Australia Special Regulations 2017 - 2020 will remain on the boat and continue to be in good working order and repair and in date (where applicable) for the duration of each and every race. I undertake that I will have in place at least \$10,000,000 of racing insurance cover for personal injury and property damage for each and every race. I further undertake to keep a completed GFS Safety Card in the yacht's cockpit when racing. These undertakings are given in consideration for the Greenwich Flying Squadron Inc. permitting me to participate in GFS organised races.

Signed	Date

GFS and (RMS) Maritime Authority Requirements

Rule	Item	Р	Α	Rule	Item	Р	Α
SI 1a	Copy of Insurance - Marine & Accident			SI 25s	Fixed or handheld VHF Marine Tranceiver		
	Expiry Date						
SI 25q	GFS Safety Card			RMS	Sound signalling device		
SI 25 r	Rescue quoit, throw bag or lifebuoy (yachts over 8m)			GFS	Emergency Thermal Blanket with First Aid Kit		
RMS/SI 25 r	Waterproof Torch / Flashlight			GFS	Check MOB Retrieval System		
				RMS / GFS	Inflatable Life Jacket Service Confirmation Record / Log		

Important: RMS require navigation lights be displayed between sunset and sunrise, and during times of restricted visibility.

*SI - GFS Sailing Instruction Requirement *MA - (RMS) Maritime Authority Requirement

The Equipment listed was complete except for the following items

Equipment Required	Correction approved / cited by	Date

AUSTRALIAN SAILING (AS) SPECIAL REGULATIONS EQUIPMENT AUDIT FORM (2021-)



CATEGORY	_	ONOHULLS MULTIHULL		ices with limited aters in daylight a			
DATE OF AUDIT	SAIL	NO:	ВС	PAT NAME:			
Audit form valid until bottom of current page			dit period J ubject to spo	uly 1 to June 30). Expir ot checks Special Regula	ry dates to be tion (SR) 2.02	updated as requi 2.	ired at
NIGHT RACING COM	PLIANT (Refe	r 3.15.2, 3.23.1-3.23	3.4, 4.14.1, 4.	14.2, 5.01.1(k), 5.03)	YES N	10	
OWNER DETAILS							
OWNER(S) NAME(S):							
OWNER(S) CLUB(S):							
BOAT DETAILS							
LH:				BOAT REGISTRATION	NO:		
DISPL (tonnes):				VARIABLE (WATER) BA	ALLAST: Y	'ES NO	
HULL COLOUR:				FIXED KEEL or LIFTING	G KEEL or CAN	TING KEEL (circle)	
DECK COLOUR:				DISTINGUISHING MA	RKS:		
MAX CREW:							
DECLARATION BY P	ERSON IN	CHARGE					
unlimited responsibility of	the person in a tas specified in	charge as defined in S	Rs 1.02.1, 1.0	nderstand that an auditor of 2.2, 1.02.3 and 2.03.1. I und s, and ensure it will be on b Date:	ertake that I will	I maintain in good we	orking order
	MS - The Ec	uipment listed o	over the pa	age was complete ex	cept for the		
Outstanding Item				Re-Inspected by		AS Auditor No.	Date
EQUIPMENT AUDIT	OR DECLAR	RATION					
				ummarised in the following be signed until outstanding			
Audited by AS NEA/C (print name)	EA:			Signed by AS NEA/C	EA:		
AS Number:				Date:			
EARLIEST EXPIRY D			t applicabl	e 'n/a' if relevant			
ITEM	EARLIEST EXPIRY	UPDATED EARLIEST EXPIRY	AUDITOR	ITEM	EARLIEST EXPIRY	UPDATED EARLIEST EXPIRY	AUDITOR
Fire ext (12 mth.)				Flares orange hand			
Flares red hand	s will not acco	ent self-servicing of	fire extinguis	Lifejackets shers and lifejackets. Che	ock with the cl	th for specific requi	rements
, Joine club	S Trin Hot acce	p. sen servicing or	c charigais	ana mejachets. Offe	on mai ale oli	ioi opeoilio requi	

AUSTRALIAN SAILING (AS) SPECIAL REGULATIONS EQUIPMENT AUDIT FORM (2021-)



CATEGORY 5

MONOHULLS & Races with limited rescue availability in protected waters in daylight and sheltered waters at night

DATE OF AUDIT

SAIL NO:

BOAT NAME:

This section to be completed and **ticked or initialled** by person in charge (P) and auditor(A). If item not applicable, mark 'n/a' or dash '-'

This sect	ion to be completed and ticked or initialled by pe	rson	in c				
Reg	Structural/Fixed Deck Items	Р	Α				
2.03.1	Equipment functions & adequate for intended use						
2.03.2	Ballast & heavy equipment secured						
3.01 -	Section 3 Part 1 – Structural Features, Stability. Any						
3.05	Organising Authority requirements						
3.06.1	(b) Enclosed cabin, ≥ 5.5m LH, and carrying fuel below						
	decks, 2 exits						
3.07.1	No hatches forward of maximum beam open inwards						
	except if size < 0.071 m ² (a)(i) Hatches above water when heeled 90°						
	(a)(iii) Non-conforming hatches; size < 0.071 m ²						
3.07.2	(a)(iii) Non-conforming hatches kept shut while racing						
	(b) Hatches capable of being immediately shut;						
	permanently attached lid						
3.07.3	Non-conforming hatches labelled 'Not to be opened at						
	sea'	\vdash					
	Blocking device for low sill companionway	\vdash					
	(a) Companionway hatch securing arrangement (i) Operable from above and below	\vdash					
3.07.4	(b) Blocking devices to be	\vdash					
0.07.4	(i) Capable of being retained with hatch open or shut						
	(ii) Secured to boat (e.g. by lanyard)						
	(iii) Permit exit in event of inversion						
3.08.1	Cockpit strong, self-draining, & watertight (3.08.2)	\Box	\Box				
3.08.3	Bilge pump outlet not connected to cockpit drain	Ш					
	Number of cockpit drains required:						
3.08.7	< 8.5 m: 2 x 25 mm Age/Series Date pre 07/77 & > 8.5 m; 2 x 25 mm						
	Age/ Series Date post 07/77 & > 8.5 m; 4 x 20 mm						
	(d) Bow and stern pulpit top rails and aft lifelines same						
	height as upper side lifelines						
	(d) Pulpit top rails no lower than upper lifelines						
	(f) Pulpits & stanchions permanently installed						
3.12.3	(g) Pulpit & stanchion bases inboard ≤ 5% of max						
If fitted	beam or 150 mm (h) Stanchion bases not outboard	\vdash					
iitteu	(i) Lifelines attached to stanchion inside & overlapping	\vdash	_				
	pulpit with gap ≤ 150 mm permitted						
	(k) Stanchions straight, vertical; first 50 mm ≤ 10 mm						
	displ. and angle ≤ 10 deg. from 50 mm above deck.						
	(a) Lifelines uncoated stainless steel wire						
	(b) Loose sleeve permitted						
3.12.6	(d) Gap secured by lanyard ≤ 100 mm;						
If fitted	Lanyard replaced annually (e) Total lifeline system ≥ strength of required wire	\vdash					
mueu	Lifeline size minimum: LH < 8.5 m: 3 mm; LH 8.5 m –	\vdash					
	13 m: 4 mm; LH > 13 m: 5 mm						
0.00.5	1 x manual bilge pump if space below floorboards						
3.20.5	precludes access for bucket bailing						
3.20.6	Bilge pump not to discharge into closed cockpit	\Box	\Box				
0.20.0	Bilge pump not connected to cockpit drains	\sqcup					
3.20.7	a) Bilge pump minimum suction bore 25 mm	\vdash					
3.22	b) Bilge pump & strum boxes accessible Minimum 2 halyards capable of hoisting sail	\vdash	\dashv				
3.22	Night: Navigation lights complying with IRPCAS	\vdash	\dashv				
	If using outboard motor, provision for mounting	\vdash	\dashv				
3.24.4	Outboard motor mounted at all times	П					
2 2F 4	(b)(iii) Permanently installed or waterproof handheld	П					
3.25.1	VHF transceiver						
3.28.1	Hull Identification, min 50 mm; name & state rego; OR						
	name, sail number & club	\vdash					
4.01.1	Sail numbers as per RRS 77 and Appendix G		Α.				
Reg	Structural/Fixed Items Below	Р	Α				
3.09.1	(a) Seacocks permanently installed	\vdash	\dashv				
3.15.2	(b) Plugs for each opening attached or stowed nearby Night: Toilet or securely fastened bucket	\vdash	\dashv				
	Cooking stove/heating appliance securely fastened,	H	\dashv				
3.17	safe, accessible shutoff						
If fitted	Gas or methylated spirits only fuels for cooking						
mieu	"'REMEMBER Turn Off Gas At Bottle' sign						
Do a - 1	1 - 1 7						

rge (P) a	nd auditor(A). If item not applicable, mark 'n/a' or di	<u>asn</u>	-				
	Gas detection for permanent pilot light	Ь	L				
	Disposable gas canisters ≤ 225 grams	$oxed{oxed}$	L				
	Gas bottle, spare canisters in separate compartment						
	ventilated overboard	$oxed{oxed}$	L				
3.19.1	Handholds below decks	$oxed{oxed}$					
3.24.3	Inboard engine to SR 3.24.1, OR outboard engine with						
3.24.3	tanks, fuel supply; all securely fastened						
3.24.6	Separate starter battery if electric starter						
	Separate generators, if carried, securely covered and						
3.24.7	permanently installed						
	Fuel tank shut off valve/cock if fuel can escape or						
3.24.8	siphon						
	(a) Petrol tanks – see regulation	\vdash					
	(b) Diesel tanks metal or other certified material	\vdash					
	(c) Fuel lines comply	\vdash					
	(d) Outboard tanks secured on deck or ventilated	-					
3.24.9							
	compartment; manufacturer supplied or recognised						
	national standard standard	-					
	(e) Petrol not below decks in portable containers	₩					
	(f) Flexible fuel tank not permitted.		L_				
Reg	Portable Equipment	Р	Α				
3.18.4	Emergency water 1 litre per crew						
3.20.9	2 x 8 litre buckets, stout construction with lanyard	\vdash					
3.20.9	Night: Reserve navigation lights, independent of main	₩	\vdash				
3.23.4							
4.04.0	power 14 4005 described	├					
4.04.2	1 x fire extinguishers 1A:10BE dry powder min or equiv.	-					
4.04.4	Fire blanket (for cooking device with open flame)	<u> </u>					
	(a) Anchor & ground tackle as per Table 1						
4.05.1	(b) Anchor & warp sizes Table 2 or Table 3						
	Anchor 1 Typekg/size						
	1 x flashlight floating type; spare batteries & bulbs if						
4.06.2	replaceable						
4.07.2	First aid manual	\vdash	_				
4.07.4	First aid Manual First aid kit, waterproof container; contents listed;	₩					
	alternative brands permitted						
4.07.9		-					
4.07.9	First aid contents as per list at end of this form	₩					
4.10.1	Charts (not solely electronic), plotting equipment	<u> </u>					
4.10.3	Current AS "Racing Rules of Sailing" and "Special						
	Regulations Part 1"; electronic or hard copy						
4.14.1	Night: Emergency tiller if not tiller steered	<u> </u>					
4.14.2	Night: Alternative steering method for rudder loss	$oxed{oxed}$					
4.15.1	Tools, spares parts, effective way to cut rigging						
4.15.3	Sharp knife sheathed, restrained in or near cockpit						
4.16.1	Name on all buoyant equipment & items						
4.16.2	Personal lifejacket marked to identify owner						
4.17	Retroreflective tape on lifebuoys, lifeslings, liferafts						
	Waterproof container for flares	\vdash					
4.22.1	2 x red hand flares	\vdash					
7.22.1	2 x orange smoke flares	+-	\vdash				
1 22 1		+-	\vdash				
4.23.1	Heaving line minimum 15 m	+	\vdash				
4.26	Retrieval method of crew from water	₩	\vdash				
	(i) Lifejacket ≥ 50N in service						
	Number (1 per crew)						
5.01.1	(See regulation for compliance standards)	Щ					
5.01.1	(j) If no lifelines, PFD ≥ 50N (as per 5.01.1i) worn by						
	each crew on deck						
	(k) Night: PFDs ≥ 100N						
5.03	Night: Personal light (strobe or SOLAS LSA 2.2.3)						
4.0=-							
4.07.9	First Aid Kit Contents List – within expiry of	late	9				
NON-PE	RESCRIPTION P A NON-PRESCRIPTION	Р	Α				
Paracet	amol 500 mg x 20 Bandaids or equivalent roll						

NON-FRESCRIFTION	Г	τ	NON-FRESCRIFTION	Г	1
Paracetamol 500 mg x 20			Bandaids or equivalent roll		
Soluble Aspirin x 20			of bandaid x 20		
Disposable gloves x 10			Normal saline 30 ml x 2		
Crepe bandages 75 mm x			Sunscreen 30+ 250 ml x 1		
1.5 m x 2			Scissors, stainless steel x 1		
Non-adherent dressing or			CPR mask or 6 face shields		
gauze (e.g. Melolin) x 5					