Greenwich Flying Squadron 2021 - 2024 AS SPECIAL REGULATIONS EQUIPMENT AUDIT FORM – Valid to June 30th.

(Attach the relevant Australian Sailing Equipment Audit Form as applicable)

Responsibility of the Person in Charge - AS Special Regulation 1.02

1.02.1. The safety of a boat and her crew is the sole and inescapable responsibility of the person in charge who shall do their best to ensure that the boat is fully found, thoroughly seaworthy and manned by an experienced crew who have undergone appropriate training and are physically fit to face bad weather. He must be satisfied as to the soundness of hull, spars, rigging, sails and all gear. He shall ensure that all safety equipment is properly maintained and stowed and that the crew know where it is kept and how it is to be used. He shall also nominate a person to take over the responsibilities of the person in charge in the event of his incapacitation.

1.02.2. The establishment of these Special Regulations, their use by race organisers, and the inspection of a boat under these regulations does not in any way limit or reduce the complete and unlimited responsibility of the person in charge.

1.02.3. The responsibility for a boat's decision to participate in a cruising event or race, or to continue racing is hers alone - RRS Fundamental Rule 4.

Your attention is drawn to ISAF Racing Rules of Sailing 2021-2024 Fundamental Rule 1.2 - Life-Saving Equipment and Flotation Devices.

"A boat shall carry adequate life-saving equipment for all persons on board, including one item ready for immediate use, unless her class rules make some other provision. Each competitor is individually responsible for wearing personal buoyancy adequate for the conditions".

Risk Warning.

This **RISK WARNING** is issued jointly by the Greenwich Flying Squadron Inc. (GFS) and the (RMS) Maritime Authority, pursuant to the **Civil Liability Act 2002** to all persons wishing to participate in the sailing activities conducted by Greenwich Flying Squadron.

Participants are warned that, regardless of the precautions, which might be taken by reasonable and experienced persons, sailing can be a dangerous pursuit and participants are exposed to significant risk of property damage, physical harm and possibly death.

As an indication, these risks may include, but are not limited to:

- The extremes of weather and sea conditions.
- The potential that control of vessels may be lost, resulting in collision with objects and other vessels.
- The sudden movement of the vessel at any time and the possibility that participants may fall or be thrown overboard, resulting in drowning.
- The possibility that participants may be injured by equipment on the vessel.
- The absence of immediate medical care and the likelihood that significant delays may occur before medical care is available.
- Exposure to the elements for extended periods.

Greenwich Flying Squadron and the (RMS) Maritime Authority also warn participants that regardless of their best intentions, they may be unable to render assistance to participants who are in distress. Participants are warned to consider the above risks and all other risks before deciding to participate in any sailing event with Greenwich Flying Squadron.

Participants are also advised that although Greenwich Flying Squadron is covered by third party liability insurance, this cover **DOES NOT** extend to participants. Any participant who considers they have a need for insurance must make their own private arrangements with an insurer. A personal accident insurance policy is available with subscription to membership of Sailing Australia.

Declaration by Owner or Representative.

I have read and understand the Risk Warning printed above. NOTE: Auditors do not inspect items referred to in Regulations 2.04; Section 3, Part 1; or Section 6. Refer to 2.02.2 – Owners must satisfy Organising Authorities as to those items when required to do so.

I undertake that all of the boat's equipment as specified in the Sailing Australia Special Regulations 2021 - 2024 will remain on the boat and continue to be in good working order and repair and in date (where applicable) for the duration of each and every race. I undertake that I will have in place at least \$10,000,000 of racing insurance cover for personal injury and property damage for each and every race. I further undertake to keep a completed GFS Safety Card in the yacht's cockpit when racing. These undertakings are given in consideration for the Greenwich Flying Squadron Inc. permitting me to participate in GFS organised races.

Signed

Date

GFS and (RMS) Maritime Authority Requirements

Rule	Item	Ρ	Α	Rule	Item	Ρ	Α
SI 1a	Copy of Insurance - Marine & Accident			SI 25s	Fixed or handheld VHF Marine Tranceiver		
	Expiry Date						
SI 25q	GFS Safety Card			RMS	Sound signalling device		
SI 25 r	Rescue quoit, throw bag or lifebuoy (yachts over 8m)			GFS	Emergency Thermal Blanket with First Aid Kit		
RMS/SI 25 r	Waterproof Torch / Flashlight			GFS	Check MOB Retrieval System		
SI 25m	Navigation Lights - Twilight Series			RMS / GFS	Inflatable Life Jacket Service Confirmation Record / Log		

Important: RMS require navigation lights be displayed between sunset and sunrise, and during times of restricted visibility.

*SI - GFS Sailing Instruction Requirement

*RMS - (RMS) Maritime Authority Requirement

The Equipment listed was complete except for the following items

Equipment Required	Correction approved / cited by	Date

AUSTRALIAN SAILING (AS) SPECIAL REGULATIONS EQUIPMENT AUDIT FORM



CATEGORY		NOHULLS &		s with limited resons in daylight and a			
DATE OF AUDIT				NAME:			
				stated in Notice of Race. spot checks Special Regu			s required
NIGHT RACING COMPL	IANT (Refer	3.15.2, 3.23.1-3.23.4	, 4.14.1, 4	.14.2, 5.01.1(k), 5.03)	YES NO		
OWNER DETAILS	1						
OWNER(S) NAME(S):							
OWNER(S) CLUB(S):							
BOAT DETAILS	1			1			
LH:				BOAT REGISTRATION N	0:		
DISPL (tonnes):				VARIABLE (WATER) BAL	LAST: YE	S NO	
HULL COLOUR:							
DECK COLOUR:				DISTINGUISHING MARK	S:		
MAX CREW:							
DECLARATION BY	PERSON I	N CHARGE					
all of the boat's equipment Signed by Person in C	as specified	in the current AS Speci	al Regulati	.02.2, 1.02.3 and 2.03.1. I un ons, and ensure it will be on I Date:	board for each r	ace.	orking order
	MS – This :	audit is not valid ur	ntil the ou	utstanding items have b	een re-inspe	AS No.	Date
Outstanding Item				Re-Inspected by		AS NO.	Dale
EQUIPMENT AUDIT	nentioned boa	at in accordance with S	R 2.02.1, a	s summarised in the following	list, and the ite	ms listed were compl	iant as per
the AS Special Regulations Audited by AS NEA:(print name)	at the time a	nd date of this audit.		Signed by AS NEA:			
AS Number:				Date:			
EARLIEST EXPIRY	DAT <u>ES – i</u>	ndicate 'hir <u>e' or n</u>	ot appli	cable 'n/a' if relevant			
ITEM	EARLIEST EXPIRY	UPDATED EARLIEST EXPIRY	AUDITOR	ITEM	EARLIEST EXPIRY	UPDATED EARLIEST EXPIRY	AUDITOR
Fire ext (12 mth.)				Flares orange hand			
Flares red hand			feie=t==:	Lifejackets			
NUIE: Some clui	os will not ac	cept self-servicing of	IITelackets	. Check with the club for sp	ecific requiren	ients.	

AUSTRALIAN SAILING (AS) SPECIAL REGULATIONS EQUIPMENT AUDIT FORM

SAIL NO:



CATEGORY 5

DATE OF AUDIT

1

MONOHULLS & MULTIHULLS

JLLS wate

waters in daylight and sheltered waters at night BOAT NAME:

This section to be completed and ticked or initialled by person in charge (P) and auditor(A). If item not applicable, mark 'n/a' or dash '-'

Reg	Structural Fixed Deck Items	Ρ	Α
2.03.1	Equipment functions & adequate for intended use		
2.03.2			
3.01 -	Section 3 Part 1 – Structural Features, Stability. See		
3.05	Keel and Rudder Inspection Form, and Organising		
	Authority requirements		
3.06.1	(b) Enclosed cabin, ≥ 5.5m LH, and carrying fuel below decks, 2 exits		
	No hatches forward of maximum beam open inwards		
3.07.1	except if size < 0.071 m^2		
	(a)(i) Hatches above water when heeled 90°		
	(a)(iii) Non-conforming hatches; size < 0.071 m ²		
3.07.2	(a)(iii) Non-conforming hatches kept shut while racing		
	(b) Hatches capable of being immediately shut;		
	permanently attached lid		
3.07.3	Non-conforming hatches labelled		
	'Not to be opened at sea'		
	Blocking device for low sill companionway		
	(a) Companionway hatch securing arrangement (i) Operable from above and below		
3.07.4	(b) Blocking devices (e.g. washboards)		
3.07.4	(i) Capable of being retained with hatch open or shut		
	(ii) Secured to boat (e.g. by lanyard)		
	(iii) Permit exit in event of inversion		
3.08.1	Cockpit strong, self-draining, & watertight (3.08.2)		
3.08.3	Bilge pump outlet not connected to cockpit drain		
	Number of cockpit drains required: <8.5 m: 2 x 25 mm		
3.08.7	Age/Series Date pre 07/77 & >8.5 m; 2 x 25 mm		
	Age/Series Date post 07/77 & >8.5 m; 4 x 20 mm		
3.20.5		Il bilge pump if space below floorboards access for bucket bailing p not to discharge into closed cockpit	
		bw floorboards used cockpit t drains	
3.20.6	Bilge pump not to discharge into closed cockpit Bilge pump not connected to cockpit drains	bucket bailing	
		arge into closed cockpit ded to cockpit drains n suction bore 25 mm	
3.20.7	Bilge pump minimum suction bore 25 mm Bilge pump & strum boxes accessible		
3.22	Minimum 2 halyards capable of hoisting sail		
	Night: Navigation lights carried complying with		
3.23	IRPCAS		
3.24.4	If using outboard motor, provision for it being mounted		
0.24.4	at all times (may be raised but not removed)		
3.28.1	Hull Identification, min 50 mm; name & state rego;		
	OR name, sail number & club		
4.01.1	Sail numbers as per RRS 77 and Appendix G	Ρ	•
Reg	Structural/Fixed Items Below	٢	A
3.09.1	(a) Seacocks permanently installed(b) Plugs for each opening attached or stowed nearby		
3.15.2	Night: Toilet or securely fastened bucket		
0.10.2	(a)(i) Lifelines uncoated stainless steel wire, or		
	(a)(iii) HMPE rope of minimum diameter		
	(b) Loose sleeve permitted		
3.12.6	(d) Gap secured by lanyard < 100 mm;Lanyard		
If fitted	replaced annually		
	(e) Total lifeline system ≥ strength of required wire		
	Lifeline size minimum: LH < 8.5 m: 3 mm; LH 8.5 m –		
	13 m: 4 mm; LH > 13 m: 5 mm		
	Cooking stove/heating appliance safe use in seaway e.g. Gimballed with accessible shutoff		
	Gas or methylated spirits only fuels for cooking		
3.17	"REMEMBER Turn Off Gas At Bottle" sign		
If fitted	Gas detection for permanent pilot light		
	Disposable gas canisters ≤ 225 grams		
	Gas bottle, spare canisters in separate compartment		
	ventilated overboard		
3.24.3	Inboard engine to SR 3.24.1, OR outboard engine with		
	tanks, fuel supply; all securely fastened		

auditor(A). If item not applicable, mark 'n/a' or dash '-'		
3.24.6	Dedicated starter battery if electric starter is only method of starting		
3.24.7	Separate generators, if carried, securely covered and permanently installed		
3.24.8	Fuel tank shut off valve/cock if fuel can escape or siphon		
	(a) Petrol tanks – see regulation		
	(b) Diesel tanks metal or other certified material		
	(c) Fuel lines comply		
3.24.9	(d) Outboard tanks secured on deck or ventilated		
	compartment; manufacturer supplied or recognised national standard		
	(e) Petrol not below decks in portable containers		
	(f) Flexible fuel tank not permitted		
2.05.4	(b)(iii) Permanently installed (new installations DSC		
3.25.1	capable), or 5W waterproof handheld, VHF transceiver		
Reg	Portable Equipment	Ρ	Α
3.18.4	Emergency water 1 litre per crew additional		
3.20.9	2 x 8 litre buckets, stout construction with lanyard		
3.23.4	Night: Reserve navigation lights, independent of main power		
4.04.2	1 x fire extinguishers 1A:10BE dry powder min or equiv.		
4.04.4	Fire blanket (for cooking device with open flame)		
	(a) Anchors & ground tackle as per Table 1		
4.05.1	(b) Anchor & warp sizes Table 2 or Table 3 Anchor 1 Typekg/size		
4.06.2	1 x flashlight floating type; spare batteries & bulbs if replaceable		
4.07.2	First Aid Manual (St Johns or Red Cross) (current ed.)		
4.07.4	First aid kit, waterproof container; contents as listed		
4.07.9	below (alternative brands permitted)		
4.10.1	Charts (may be solely electronic), plotting equipment		
4.10.3	Current AS "Racing Rules of Sailing" and "Special Regulations Part 1"; electronic or hard copy		
4.14.1	Night: Emergency tiller if not tiller steered		
4.14.2	Night: Alternative steering method for rudder loss		
4.15.1	Tools, spares parts, effective way to cut rigging		
4.15.3	Sharp knife sheathed, restrained in or near cockpit		
4.16.1	Name on all buoyant equipment & items		
4.16.2	Personal lifejacket marked to identify owner		
4.17	Retroreflective tape on lifebuoys, lifeslings, liferafts		
4.22.1	Waterproof container for flares		
	2 x red hand flares		
	2 x orange hand flares		
4.23.1	Heaving line minimum 15 m		
4.26	Retrieval method of crew from water		
5 01 1	(i) Lifejacket ≥ 50N in service Number (1 per crew)		
5.01.1	(See regulation for compliance standards)		
	(j) If no lifelines, PFD \geq 50N (as per 5.01.1i) worn by		
	each crew on deck		
	(k) Night: PFDs ≥ 100N		
5.03	Night: Personal light (strobe or SOLAS LSA 2.2.3)		

Races with limited rescue availability in protected

AUSTRALIAN SAILING (AS) SPECIAL REGULATIONS EQUIPMENT AUDIT FORM



			oumig
CATEGORY 5	MULTIHULLS v	Races with limited rescue ava vaters in daylight and shelter	
DATE OF AUDIT	SAIL NO: B	BOAT NAME:	
4.07.9 First Aid Kit Cor	ntents List – within expiry da	te	
NON-PRESCRIPTION Paracetamol 500 mg (e.g.Pana	P adol) or Ibuprofen 200 mg (e.g.	Australian	Australian
Nurofen) x 20 Soluble Aspirin (e.g.Disprin) x 2		Sailing	Sailing
Disposable gloves x 10 Crepe bandages 75 mm x 1.5 r			Jaimig
Low absorbency non-adherent Melolin) x 5 Bandaids or equivalent rollof ba		Australian	Australian
Normal saline 30 ml x 2 Sunscreen 30+ 250 ml x 1		= Sailing	Sailing
Scissors, stainless steel x 1 CPR mask or 6 face shields			
	al use and portability, please use a	Australian	Australian
requirements	for additional club/race organiser	Sailing	Sailing
ustralian	Australian	Australian	Australian
Sailing	Sailing	Sailing	Sailing
ustralian	Australian	Australian	Australian
Sailing	Sailing	Sailing	Sailing
ustralian	Australian	Australian	Australian
Sailing	Sailina	Sailing	Sailing
ustralian	Australian	Australian	Australian
Sailing	Sailing	Sailing	Sailing
ustralian	Australian	Australian	Australian
Sailing	Sailing	Sailing	Sailing
i i g	ocimi ig	00	9
ustralian	Australian	Australian	Australian
Sailing	Sailing	Sailing	Sailing
ustralian	Australian	Australian	Australian
Sailing	Sailing	Sailing	Sailing
Silli 'S	Samig	yann iy	Jan 19
ustralian	Australian	Australian	Australian
Sailing	Sailing	Sailing	Sailing
- and the second se			
Page 3 of 3			Version 1.5 – 14 May 2024
-			-